Agricultural Marketing Service, USDA

strings, rubber bands, et cetera. Abnormal amounts of dirt or sand also are included. (See Rule 23.)

[24 FR 8771, Oct. 29, 1959. Redesignated at 49 FR 16757, Apr. 20, 1984]

§29.3024 Form.

The stage of preparation of tobacco such as unstemmed or stemmed.

[24 FR 8771, Oct. 29, 1959. Redesignated at 49 FR 16757, Apr. 20, 1984]

§ 29.3025 General color.

The color of tobacco considered in relation to the type as a whole. General color is distinguished from the restricted use of the term "color" within a group. It is basically related to body and other overall characteristics of the type.

 $[24 \ FR\ 8771,\ Oct.\ 29,\ 1959.\ Redesignated\ at\ 49\ FR\ 16757,\ Apr.\ 20,\ 1984]$

§29.3026 General quality.

The quality of tobacco considered in relation to the type as a whole. General quality is distinguished from the restricted use of the term "quality" within a group.

[24 FR 8771, Oct. 29, 1959. Redesignated at 49 FR 16757, Apr. 20, 1984]

§29.3027 Grade.

A subdivision of a type according to group, quality, and color.

 $[24 \ FR\ 8771,\ Oct.\ 29,\ 1959.\ Redesignated\ at\ 49\ FR\ 16757,\ Apr.\ 20,\ 1984]$

§ 29.3028 Grademark.

A grademark normally consists of three symbols which indicate group, quality, and color. A letter is used to indicate group, a number to indicate quality, and a letter or letters to indicate color. For example, C2F means Lugs, second quality, and tan color.

 $[24~{\rm FR}~8771,~{\rm Oct.}~29,~1959.~{\rm Redesignated}~{\rm at}~49~{\rm FR}~16757,~{\rm Apr.}~20,~1984]$

§29.3029 Green (G).

A color term applied to immature or crude tobacco. Any leaf which has a green color affecting 20 percent or

more of its leaf surface may be described as green. (See Rule 18.)

 $[24~{\rm FR}~8771,~{\rm Oct.}~29,~1959.~{\rm Redesignated}~{\rm at}~49~{\rm FR}~16757,~{\rm Apr.}~20,~1984]$

§ 29.3030 Greenish (V).

A color term applied to greenishtinged tobacco. Any leaf which has a greenish tinge or a pale green color affecting 20 percent or more of its surface may be described as greenish. (See Rule 17.)

[24 FR 8771, Oct. 29, 1959. Redesignated at 49 FR 16757, Apr. 20, 1984]

§29.3031 Group.

A division of a type covering closely related grades based on certain characteristics which are related to stalk position or the general quality of the tobacco. Groups in Burley, Types 31 and 93, are as follows: Flyings (X), Lugs or Cutters (C), Leaf (B), Tips (T), Mixed (M), Nondescript (N), and Scrap (S).

[24 FR 8771, Oct. 29, 1959. Redesignated and amended at 49 FR 16757, Apr. 20, 1984]

§ 29.3032 Injury.

Hurt or impairment from any cause except the fungous or bacterial diseases which attack tobacco in its cured state. (See definition of Damage.) Injury to tobacco may be caused by field diseases, insects, or weather conditions; insecticides, fungicides, or cell growth inhibitors; nutritional deficiencies or excesses; or improper fertilizing, harvesting, curing, or handling. Injured tobacco includes dead, burnt, hail-cut, torn, broken, frostbitten. sunburned. sunscalded. scorched, fire-killed, bulk-burnt, steam-burnt, barn-burnt, house-burnt, bleached, bruised, discolored, or deformed leaves; or tobacco affected by wildfire, rust, frog- eye, mosaic, root rot, wilt, black shank, or other diseases. (See Elements of quality and Rule 14.)

[24 FR 8771, Oct. 29, 1959. Redesignated at 49 FR 16757, Apr. 20, 1984]

§29.3033 Leaf.

Whole, unstemmed leaf. Leaf, when applied to tobacco in strip form, shall